Product specifications

Eaton NW316T35V3WP35

Catalog Number: NW316T35V3WP35

Eaton Series C electronic molded case circuit breaker, N-frame, NW, Digitrip 310 RMS, Electronic LSG trip, Three-pole, 1600A, 690 Vac, 50 kAIC at 415 Vac, No term., World, Ambient temp not marked on trip

General specifications

Product Name	Catalog Number
Eaton Series C electronic molded case circuit breaker	NW316T35V3WP35
	UPC
	782114860298
Product Length/Depth	Product Height
0.01 in	0.01 in
Product Width	Product Weight
0.01 in	0.01 lb
Warranty	Certifications
Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	UL Listed

Powering Business Worldwide

Product specifications

Special features

Ambient temperature not marked on trip

Interrupt rating

50 kAIC at 415 Vac

Frame

N

Rated permanent current

800, 1000, 1250, 1600A adjustable rating plug

Amperage Rating

1600 A

Number of poles

Three-pole

Type

New design

Rating plug

800, 1000, 1250, 1600A

Circuit breaker type

NW

Class

World

Terminals

Without terminals

Voltage rating

690 V AC

Trip Type

Electronic LSG

Resources

Application notes

Application of Multi-Wire Terminals for Molded Case Circuit Breakers

Application of Tap Rules to Molded Case Breaker Terminals

UL listed 100%-rated molded case circuit breakers

Brochures

StrandAble terminals product aid

Current limiting Series C molded case circuit breakers product aid

Motor protection circuit breakers product aid

Multi-wire lugs product aid

Plug-in adapters for molded case circuit breakers product aid

Circuit breaker motor operators product aid

Power metering and monitoring with Modbus RTU product aid

Breaker service centers

Catalogs

Eaton's Volume 4—Circuit Protection

Molded case circuit breakers catalog

Multimedia

Circuit Breakers Explained

Specifications and datasheets

Series C J-Frame molded case circuit breakers time current curves

Series C F-Frame molded case circuit breakers

MOEM MCCB product selection guide

Series C G-Frame molded case circuit breakers time current curves

Eaton Specification Sheet - NW316T35V3WP35

White papers

Implementation of arc flash mitigating solutions at industrial manufacturing facilities

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia